
Subject: HTML

Posted by [Distrbd21](#) on Fri, 03 Oct 2008 02:03:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hey guy's i would like to know if this would be html or not but,

I would like to know away to find out if an anwser is correct or not.

So like i would ask in the html code, how to spell announced and you would have a place to give an anwser and when you click submit it will tell you if your right or wrong.

Subject: Re: HTML

Posted by [Drkpwn3r](#) on Fri, 03 Oct 2008 03:04:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

HTML for the form, javascript or one of many server-side languages to process the information on that form.

Subject: Re: HTML

Posted by [Distrbd21](#) on Fri, 03 Oct 2008 03:18:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

ok how would i go about doing that?

Im stupid when it comes to html and all that.

Subject: Re: HTML

Posted by [Dave Anderson](#) on Fri, 03 Oct 2008 04:48:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

This isn't really a great place to ask buddy. If you spend some time Google'ing around you will find what you're looking for, but its going to take more than five minutes of your time. I also suggest visiting some web development forums.

Subject: Re: HTML

Posted by [Goztow](#) on Fri, 03 Oct 2008 06:25:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

PHP and html combo, name the file test.php:

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){
if ($_POST['name'] == "announced") {
echo "announced was spelled correctly";
}else{
echo "announced was not spelled correctly";
}
}else{
echo "<form method=POST action='test.php'>
<INPUT TYPE='hidden' NAME='submit' VALUE='lalalalala'>
How do you spell announced?
<BR>
<INPUT TYPE='text' NAME='name'>
<br><br>
<INPUT TYPE='submit' VALUE='Login'>
</form>";
}
```

Untested so might contain some typing errors.

Subject: Re: HTML

Posted by [Ethenal](#) on Fri, 03 Oct 2008 22:08:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Goztow wrote on Fri, 03 October 2008 01:25PHP and html combo, name the file test.php:

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){
if ($_POST['name'] == "announced") {
echo "announced was spelled correctly";
}else{
echo "announced was not spelled correctly";
}
}else{
echo "<form method=POST action='test.php'>
<INPUT TYPE='hidden' NAME='submit' VALUE='lalalalala'>
How do you spell announced?
<BR>
<INPUT TYPE='text' NAME='name'>
<br><br>
<INPUT TYPE='submit' VALUE='Login'>
</form>";
}
```

Untested so might contain some typing errors.

Could completely leave out the first line, it's kinda redundant since you're actually checking for the

\$_POST variable in both the first and second lines.

Subject: Re: HTML

Posted by [nopol10](#) on Sat, 04 Oct 2008 01:05:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

If you're into Microsoft stuff, you could use Visual Web Developer Express to make these sort of web forms.

www.asp.net has all the tutorials you'll need for that.

Subject: Re: HTML

Posted by [Distrbd21](#) on Sat, 04 Oct 2008 08:53:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

[quote title=Goztow wrote on Fri, 03 October 2008 01:25]PHP and html combo, name the file test.php:

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){
if ($_POST['name'] == "announced") {
echo "announced was spelled correctly";
}else{
echo "announced was not spelled correctly";
}
}else{
echo "<form method=POST action='test.php'>
<INPUT TYPE='hidden' NAME='submit' VALUE='lalalalala'>
How do you spell announced?
<BR>
<INPUT TYPE='text' NAME='name'>
<br><br>
<INPUT TYPE='submit' VALUE='Login'>
</form>";
}
}
[/code]
```

Show's this in explore

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){ if ($_POST['name'] == "announced") { echo
"announced was spelled correctly"; }else{ echo " announced was not spelled correctly"; } }else{
echo "
```

Would i have to upload the file somewhere?

when i hit the login button it says page cannot be displayed.

And i do google all the time and i looked at alot of site's befor i came here.

Subject: Re: HTML

Posted by [Drkpwn3r](#) on Sat, 04 Oct 2008 09:36:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Precisely why I suggested javascript first. *cough*

Mind you, the only reason I wrote the javascript like I did was for it to be easiest to understand while remaining fully functional.

```
<html>
<head>
<title>Your page name</title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
var correct_spell = "correct_spelling_here";
var word_entry = obj.the_word;
if ( word_entry == "" )
{
alert("Please enter a word to spell.");
}
else
{
if ( word_entry.value == correct_spell )
{
alert("You have correctly spelled " + correct_spell);
}
else
{
alert("Please try again.");
}
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
```

```
<input type="text" name="the_word" />
<input type="submit" value="Check Spelling" />
</form>
</body>
</html>
```

Subject: Re: HTML
Posted by [alesian](#) on Sat, 04 Oct 2008 10:42:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks for this code..but where could i use this to generate my forum..

Mens Carhartt Winter Coats
dubai real estate

Subject: Re: HTML
Posted by [danpaul88](#) on Sat, 04 Oct 2008 17:25:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Distrbd21 wrote on Sat, 04 October 2008 09:53Goztow wrote on Fri, 03 October 2008 01:25PHP
and html combo, name the file test.php:

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){
if ($_POST['name'] == "announced") {
echo "announced was spelled correctly";
}else{
echo "announced was not spelled correctly";
}
}else{
echo "<form method=POST action='test.php'>
<INPUT TYPE='hidden' NAME='submit' VALUE='lalalalala'>
How do you spell announced?
<BR>
<INPUT TYPE='text' NAME='name'>
<br><br>
<INPUT TYPE='submit' VALUE='Login'>
</form>";
}
```

Show's this in explore

```
if ($_SERVER['REQUEST_METHOD'] == 'POST'){ if ($_POST['name'] == "announced") { echo
"announced was spelled correctly"; }else{ echo " announced was not spelled correctly"; } }else{
```

echo "

Would i have to upload the file somewhere?

when i hit the login button it says page cannot be displayed.

And i do google all the time and i looked at alot of site's befor i came here.

You have to put <?php at the start and ?> at the end to activate PHP mode on the file. Also make sure the file has a .php extension.

Subject: Re: HTML

Posted by [Distrbd21](#) on Sat, 04 Oct 2008 19:09:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Drkpwn3r wrote on Sat, 04 October 2008 04:36Precisely why I suggested javascript first. *cough*

Mind you, the only reason I wrote the javascript like I did was for it to be easiest to understand while remaining fully functional.

```
<html>
<head>
<title>Your page name</title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
var correct_spell = "correct_spelling_here";
var word_entry = obj.the_word;
if ( word_entry == "" )
{
alert("Please enter a word to spell.");
}
else
{
if ( word_entry.value == correct_spell )
{
alert("You have correctly spelled " + correct_spell);
}
else
```

```

{
    alert("Please try again.");
}
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
    <input type="text" name="the_word" />
    <input type="submit" value="Check Spelling" />
</form>
</body>
</html>

```

where would i put the word that i want them to spell?

I tried putting it place's but failed.

Nice code tho it work's but it keeps saying pleas try again.

Subject: Re: HTML
 Posted by [Ethenal](#) on Sat, 04 Oct 2008 19:15:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Drkpwn3r wrote on Sat, 04 October 2008 04:36Precisely why I suggested javascript first. *cough*

Mind you, the only reason I wrote the javascript like I did was for it to be easiest to understand while remaining fully functional.

```

<html>
<head>
<title>Your page name</title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
    var correct_spell = "__RIGHT HERE__correct_spelling_here__RIGHT HERE__";
    var word_entry = obj.the_word;
    if ( word_entry == "" )
    {
        alert("Please enter a word to spell.");
    }
}

```

```

else
{
  if ( word_entry.value == correct_spell )
  {
    alert("You have correctly spelled " + correct_spell);
  }
  else
  {
    alert("Please try again.");
  }
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>
</html>

```

Seemed pretty obvious but okay...

Subject: Re: HTML

Posted by [Distrbd21](#) on Sun, 05 Oct 2008 03:16:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ethenal wrote on Sat, 04 October 2008 14:15Drkpwn3r wrote on Sat, 04 October 2008 04:36Precisely why I suggested javascript first. *cough*

Mind you, the only reason I wrote the javascript like I did was for it to be easiest to understand while remaining fully functional.

```

<html>
<head>
<title>Your page name</title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
  var correct_spell = "__RIGHT HERE__correct_spelling_here__RIGHT HERE__";
  var word_entry = obj.the_word;
  if ( word_entry == "" )

```



```
{
  alert("Please enter a word to spell.");
}
else
{
  if ( word_entry.value == correct_spell )
  {
    alert("You have correctly spelled " + correct_spell);
  }
  else
  {
    alert("Please try again.");
  }
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>
</html>
```

Seemed pretty obvious but okay...
LOL Thank you where a big help.

Subject: Re: HTML
Posted by [Distrbd21](#) on Mon, 06 Oct 2008 07:57:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

would anyone know how to allways allow activeX in the broswer it allways ask's me to allow it
get's old.

Subject: Re: HTML
Posted by [Drkpwn3r](#) on Mon, 06 Oct 2008 08:05:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

That's because you're running the script locally, one of many annoyances that leads to IE's
downfall IMO.
At least for testing at file:///

Subject: Re: HTML
Posted by [Distrbd21](#) on Mon, 06 Oct 2008 08:16:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

Drkpwn3r wrote on Mon, 06 October 2008 03:05 That's because you're running the script locally, one of many annoyances that leads to IE's downfall IMO.
At least for testing at file:///

I just got it to allow all activeX controls..

I uploaded it so everyone can see.

File Attachments

1) [Blah.html](#), downloaded 159 times

Subject: Re: HTML
Posted by [Goztow](#) on Mon, 06 Oct 2008 15:39:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm sorry, i thought u were just looking at code, but flippantly u're looking for someone who can make code for something and implement it in a forum?

Subject: Re: HTML
Posted by [Prulez](#) on Mon, 06 Oct 2008 17:52:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Distrbd21 wrote on Mon, 06 October 2008 10:16 Drkpwn3r wrote on Mon, 06 October 2008 03:05 That's because you're running the script locally, one of many annoyances that leads to IE's downfall IMO.
At least for testing at file:///

I just got it to allow all activeX controls..

I uploaded it so everyone can see.
Your code is case sensitive

("announced" doesn't work, but "Announced" does)

Subject: Re: HTML
Posted by [Drkpwn3r](#) on Mon, 06 Oct 2008 19:35:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Updated the script to remove case sensitivity because I was bored and just because I can:

```
<html>
<head>
<title>Your page name</title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
var correct_spell = "correct_spelling_here";
var entered_word = obj.the_word.value.toLowerCase();
if ( entered_word == "" )
{
alert("Please enter a word to spell.");
}
else
{
if ( entered_word == correct_spell )
{
alert("You have correctly spelled " + correct_spell + "!");
}
else
{
alert("Please try again.");
}
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">

```

Subject: Re: HTML

Posted by [Distrbd21](#) on Tue, 07 Oct 2008 08:38:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

how can i install the code more than once?

i have been trying but all i get is the frist words say plase try again and the last one works.

Subject: Re: HTML

Posted by [Drkpwn3r](#) on Tue, 07 Oct 2008 17:43:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Distrbd21 wrote on Tue, 07 October 2008 04:38how can i install the code more than once?

i have been trying but all i get is the frist words say plase try again and the last one works.

Should just have to copy/paste, then edit a bit. There's no "installation" of code, just updating/changing.

I don't know any reason why you'd be getting the "Please try again." response unless you forgot to update the correct_spell variable.

Subject: Re: HTML

Posted by [Distrbd21](#) on Wed, 08 Oct 2008 01:42:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Heres what i did.

onipt

```
<head>
<title></title>
<script type="text/javascript">
<!--
function proc_form(obj)
{
  var correct_spell = "point";
  var word_entry = obj.the_word;
  if ( word_entry == "" )
  {
    alert("Please enter a word to spell.");
  }
  else
  {
    if ( word_entry.value == correct_spell )
    {
      alert("You have correctly spelled " + correct_spell);
    }
    else
    {
      alert("Please try again.");
    }
  }
}
```

```

return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>

```

```

<br>uesoh
<html>
<head>
<script type="text/javascript">
<!--
function proc_form(obj)
{
  var correct_spell = "house";
  var word_entry = obj.the_word;
  if ( word_entry == "" )
  {
    alert("Please enter a word to spell.");
  }
  else
  {
    if ( word_entry.value == correct_spell )
    {
      alert("You have correctly spelled " + correct_spell);
    }
    else
    {
      alert("Please try again.");
    }
  }
  return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>
</html>

```

```

</br>
ldsenac
<br>
<html>
<head>
<script type="text/javascript">
<!--
function proc_form(obj)
{
  var correct_spell = "candles";
  var word_entry = obj.the_word;
  if ( word_entry == "" )
  {
    alert("Please enter a word to spell.");
  }
  else
  {
    if ( word_entry.value == correct_spell )
    {
      alert("You have correctly spelled " + correct_spell);
    }
    else
    {
      alert("Please try again.");
    }
  }
  return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>
</html>
</br>
paeredet
<br>
<html>
<head>
<script type="text/javascript">
<!--
function proc_form(obj)
{
  var correct_spell = "repeated";

```

```

var word_entry = obj.the_word;
if ( word_entry == "" )
{
    alert("Please enter a word to spell.");
}
else
{
    if ( word_entry.value == correct_spell )
    {
        alert("You have correctly spelled " + correct_spell);
    }
    else
    {
        alert("Please try again.");
    }
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
    <input type="text" name="the_word" />
    <input type="submit" value="Check Spelling" />
</form>
</body>
</html>
</br>
celaips
<br>
<html>
<head>
<script type="text/javascript">
<!--
function proc_form(obj)
{
    var correct_spell = "special";
    var word_entry = obj.the_word;
    if ( word_entry == "" )
    {
        alert("Please enter a word to spell.");
    }
    else
    {
        if ( word_entry.value == correct_spell )
        {
            alert("You have correctly spelled " + correct_spell);

```

```

    }
    else
    {
        alert("Please try again.");
    }
}
return false;
}
-->
</script>
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
    <input type="text" name="the_word" />
    <input type="submit" value="Check Spelling" />
</form>
</body>
</html>
</br>
necdlg
<br>
<html>
<head>
<script type="text/javascript">
<!--
function proc_form(obj)
{
    var correct_spell = "glanced";
    var word_entry = obj.the_word;
    if ( word_entry == "" )
    {
        alert("Please enter a word to spell.");
    }
    else
    {
        if ( word_entry.value == correct_spell )
        {
            alert("You have correctly spelled " + correct_spell);
        }
        else
        {
            alert("Please try again.");
        }
    }
    return false;
}
-->
</script>

```



```
</head>
<body>
<form onsubmit="javascript:return proc_form(this);">
  <input type="text" name="the_word" />
  <input type="submit" value="Check Spelling" />
</form>
</body>
</html>
```

Subject: Re: HTML
Posted by [Ethenal](#) on Wed, 08 Oct 2008 02:03:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

...LMFAO

Subject: Re: HTML
Posted by [Drkpwn3r](#) on Wed, 08 Oct 2008 06:54:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Okay, here's what you do:
Copy my code, open your document, then press these key combinations in this exact sequence:

Ctrl+A
Ctrl+V
Ctrl+S

And then update the word to check against.

Subject: Re: HTML
Posted by [Distrbd21](#) on Wed, 08 Oct 2008 07:30:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

thanks again.

Subject: Re: HTML
Posted by [thrash300](#) on Wed, 08 Oct 2008 13:19:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Distrbd21 wrote on Thu, 02 October 2008 21:03Hey guy's i would like to know if this would be html or not but,

I would like to know away to find out if an answer is correct or not.

So like i would ask in the html code, how to spell announced and you would have a place to give an answer and when you click submit it will tell you if your right or wrong.

Speaking of the H.T.M.L. anyone know of a program that allows me to turn a Microsoft Word Document into an H.T.M.L. document.

Subject: Re: HTML

Posted by [Drkpwn3r](#) on Wed, 08 Oct 2008 13:31:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

thrash300 wrote on Wed, 08 October 2008 09:19 Speaking of the H.T.M.L. anyone know of a program that allows me to turn a Microsoft Word Document into an H.T.M.L. document. Microsoft Word itself can save as web pages (aka HTML documents).

For Office 2007: File [top-left round button] -> Save As -> Other Formats -> Save as Type: Web Page

For Office 2003: if I recall correctly, it's practically right in the File menu. (though I haven't used Office 2k3 in a LONG time, so I may be wrong)

Subject: Re: HTML

Posted by [thrash300](#) on Wed, 08 Oct 2008 13:34:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Drkpwn3r wrote on Wed, 08 October 2008 08:31 thrash300 wrote on Wed, 08 October 2008 09:19 Speaking of the H.T.M.L. anyone know of a program that allows me to turn a Microsoft Word Document into an H.T.M.L. document.

Microsoft Word itself can save as web pages (aka HTML documents).

For Office 2007: File [top-left round button] -> Save As -> Other Formats -> Save as Type: Web Page

For Office 2003: if I recall correctly, it's practically right in the File menu. (though I haven't used Office 2k3 in a LONG time, so I may be wrong)

Anybody knows that! But to actually send it as an email by using the code itself is my question because it generates a bad code.
